


RTG Thick-wall heat shrinkable sleeves





- protection
- protectionprotects against UV raysshrinking ratio 3:1

Symbol	Colour	Min. Ø before Shrinking D [mm]	Max. Ø after Shrinking D [mm]	Wall thickness after shrinking T [mm]	Number of pieces per unit [1 piece = 1m]
RTG 55-16-C/1	black	55	16	4	1 pce
RTG 92-26-C/1	black	92	26	4,2	1 pce
RTG 120-43-C/1	black	120	43	4,2	1 pce
RTG 140-37-C/1	black	140	37	4,3	1 pce

Characteristics						
Physical	Relative density Moisture absorption Tensile strength Elongation at break	1,25 ± 0,2 g/cm ³ 0,2% (max) 10 N/mm ² (min) 350% (min)				
Physical after aging at 120°C for 500 hours	Tensile strength Elongation at break	8 N/mm² (min) 300% (min)				
Electrical	Slope resistivity Dielectric strength Constant dielectric	10 ¹⁰ Ωm (min) 8 kV/mm (min) 3,5 (max)				
Chemical	Resistance to fungus Salt spray test Chemical resistance	good meets good				