


Connection boxes / *Boîtes de raccordement*




Ref. 818A

External dimensions 215x200x140.
Dimensions extérieures 215x200x140.




Ref. 818B

External dimensions 215x200x95.
Dimensions extérieures 215x200x95.




Ref. 820P

External dimensions 270x500x140.
Dimensions extérieures 270x500x140.




Ref. 821P

External dimensions 362x500x140.
Dimensions extérieures 362x500x140.



DISTRIBUTION BOX

	a	b	c	d	e
1303	85	155	100	54	77,5
1304	120	200	115	72	100
1306B	170	200	115	108	100
1308A	215	200	160	144	100
1308B	215	200	115	144	100
1311A	270	250	160	198	75
1312	270	250	160	216	125
1322P	270	500	160	198	125
1336P	362	362	160	324	125
1348P	362	500	160	288	125



INDUSTRIAL & CONNECTING BOX

	a	b	c	d	e	f	g
818A	215	200					140
818B	215	200					95
820P	270	500	---	---	---	---	140
821P	362	500	---	---	---	---	140
1308P	215	500	160	144	87,5	---	140
1311P	270	500	160	198	125	---	140
1316P	362	500	160	288	125	---	140
1332P	362	500	160	288	75	125	140

WITHOUT CONES

	External measures*	Internal measures*	I.P.	I.K.	Temper Seal	Colour RAL	Lid
Halogen free EN 60 670 Glow-wire test 650 °C (960 °C upon request)							
604C	90 x 90 x 40	80 x 80 x 35	IP55	IK08	✗	■ 7035	Pressure lid
615C	110 x 110 x 50	100 x 100 x 45	IP55	IK08	✗	■ 7035	Pressure lid
815	110 x 110 x 60	100 x 100 x 55	IP65	IK08	✓	■ 7035	1/4 turn plastic screw
815N	110 x 110 x 60	100 x 100 x 55	IP65	IK08	✓	■ 9011	1/4 turn plastic screw
6815	110 x 110 x 60	100 x 100 x 55	IP65	IK08	✓	■ 7035 & Clear lid	1/4 turn plastic screw
816	160 x 120 x 71	153 x 110 x 65	IP65	IK08	✓	■ 7035	1/4 turn plastic screw
816N	160 x 120 x 71	153 x 110 x 65	IP65	IK08	✓	■ 9011	1/4 turn plastic screw
6816	160 x 120 x 71	153 x 110 x 65	IP65	IK08	✓	■ 7035 & Clear lid	1/4 turn plastic screw
817	165 x 145 x 84	160 x 135 x 70	IP65	IK08	✓	■ 7035	1/4 turn plastic screw
817G	165 x 145 x 84	160 x 135 x 70	IP65	IK08	✓	■ 7035	1/4 turn plastic screw
817N	165 x 145 x 84	160 x 135 x 70	IP65	IK08	✓	■ 9011	1/4 turn plastic screw
6817	165 x 145 x 84	160 x 135 x 70	IP65	IK08	✓	■ 7035 & Clear lid	1/4 turn plastic screw
6817G	165 x 145 x 84	160 x 135 x 70	IP65	IK08	✓	■ 7035 & Clear lid	1/4 turn plastic screw
886	230 x 180 x 88	220 x 170 x 80	IP65	IK08	✓	■ 7035	1/4 turn plastic screw
886A	230 x 180 x 150	220 x 170 x 140	IP65	IK08	✓	■ 7035	1/4 turn plastic screw
886AG	230 x 180 x 150	220 x 170 x 140	IP65	IK08	✓	■ 7035	1/4 turn plastic screw
886ATP	230 x 180 x 150	220 x 170 x 140	IP65	IK08	✓	■ 7035	1/4 turn plastic screw
886ATPG	230 x 180 x 150	220 x 170 x 140	IP65	IK08	✓	■ 7035	1/4 turn plastic screw
886G	230 x 180 x 88	220 x 170 x 80	IP65	IK08	✓	■ 7035	1/4 turn plastic screw
886N	230 x 180 x 88	220 x 170 x 80	IP65	IK08	✓	■ 9011	1/4 turn plastic screw
6886	230 x 180 x 88	220 x 170 x 80	IP65	IK08	✓	■ 7035 & Clear lid	1/4 turn plastic screw
6886G	230 x 180 x 88	220 x 170 x 80	IP65	IK08	✓	■ 7035 & Clear lid	1/4 turn plastic screw
887	320 x 250 x 135	310 x 240 x 125	IP65	IK08	✓	■ 7035	Fixed plastic screw
100887	320 x 250 x 135	310 x 240 x 125	IP65	IK08	✓	■ 7035	Plastic screw
100887N	320 x 250 x 135	310 x 240 x 125	IP65	IK08	✓	■ 9011	Plastic screw
100887TP	320 x 250 x 135	310 x 240 x 125	IP65	IK08	✓	■ 7035	Plastic screw
820P	270 x 500 x 140	263 x 493 x 129	IP65	IK08	✓	■ 7035	Inox. Metal screw
821 P	362 x 500 x 140	355 x 493 x 129	IP65	IK08	✓	■ 7035	Inox. Metal screw

G: With din rail
N: Black colour
P: Pre-cut sides