

Socket for DIN rail 2P+E, 16A 250V~. White colour.
Ligth indicator.

Socket for DIN rail 2P+E, 16A 250V~. White colour. Ligth indicator.Width 2.5 modules (45mm)
Common applications: Indoor domestic / tertiary environment (Interior of home, offices, shops, etc.)



Features

Material	Thermoset
Type	Modular socket-outlet for DIN rail
No. of poles	2P + T
Type of terminal connection	Screw connection
Nominal current	16A
Grounding	Side
With indicator light	Yes
Nominal current	16A
Nominal voltage	250V~
Color	White

Technical data

Fire resistance (GWT)	650/750°C
Heat resistance (Ball pressure)	70/125°C
Free of halogens	Yes

Regulations

CE marking	Yes
------------	-----

CMim marking	Yes
According to Regulations UNE/EN	UNE 20315-1-1 -1-2
According to REBT	Yes
According to European Directive 2014/35 / EU. Low voltage directive	Yes


Sustainability

According to European Directive 2011/65/UE (RoHS)	Yes (Complies with UNE EN 50581)
According to European Directive 2012/19/UE (RAEE2)	Yes

Logistics and packaging

Unit EAN code	8423220237766
EAN code container	8423220031067
EAN code packaging	18423220031064
Units Container	10
Units Packaging	120
Pallet Units	4320
Packaging Measurements cm	26,4x8,7x12,3
Packaging Measures cm	40x42x28,5
Unit weight (gr)	110
Container Weight (Kg)	1,18
Packaging Weight (Kg)	14,66
Tariff code	85366990

Sketch



Documentation and downloads



[Declaration of conformity \(0.42MB\)](#)