

HAR12GIL



FALL ARRESTER HARNESS WITH HIGH VISIBILITY VEST - 2 ANCHORAGE POINTS (BACK/FRONT)

Ref. HAR12GIL



Product specifications

Harness with high visibility vest not removable:

Harness (Ref. HAR12). Vest: Twill 54% polyester 46% cotton. Sewn retroreflective tape. Polyester mesh lining. Zip closure. 4 pockets including 1 phone pocket. Adjustable size by zip.

Straps: Polyester.

Vest: Polyester (Ref HAR12GILJA.) - Twill 54% polyester 46% cotton (Ref HAR12GILOR.).

COLOUR

Fluorescent yellow, Fluorescent orange

SIZE

S/M/L, XL/XXL

Product Use - Risks



Fall



Construction / Civil engineering



Heavy industry



Light industry



Services / Logistics



Mining



Vertical movement on a permanent structure



Long vertical movement or movement on

inclined surface



Short vertical movement or movement on inclined surface (less than 3 m)



Vertical movement, confined space



Long horizontal movement on horizontal surface



Long horizontal movement on vertical structure



Short horizontal movement (less than 3 m)



Long movement with multi connection /disconnection

Certifications and Standards



PPE DIRECTIVE 89/686/EEC

EN361 : 2002 Personal protection equipment against falls from a height - Full body harnesses
140 kg: Additional special requirements

EN363 : 2008 Personal fall protection equipment - Personal fall protection systems

EN364 : 1992 Personal fall protection equipment : Test method

EN365 : 2004 General requirements for the instructions for use and the marking

EN340:2003 General requirements

EN471:2003 /A1:2007 High-visibility warning clothing for professional use - Test methods and requirements



CLASS 1: Class of clothing (1 to 3)

2: Performance level of the retro-reflective material (1 to 2)

References

References	Bar code	COLOUR	SIZE		
HAR12GILJAGT	3295249181277	Fluorescent yellow	S/M/L	10	-
HAR12GILJAXX	3295249181284	Fluorescent yellow	XL/XXL	10	-
HAR12GILORGT	3295249181291	Fluorescent orange	S/M/L	10	-
HAR12GILORXX	3295249181307	Fluorescent orange	XL/XXL	10	-