

Lampholder E-27. Screw connection. 4A 250V.
Threaded body.

Lampholder E-27. Screw connection. 4A 250V. Threaded body.M10-100 threaded entry, with safety stop. With anti-rotation locking screw on the dome. White thermoplastic material.
Common applications: Indoor domestic / tertiary environment (Interior of home, offices, shops, etc.)



Features

Material	Thermoplastic
Tension	250 V~
Electricity	4 A
Fixation System	M10/100
Threaded body	Yes
Maximum power	75W
Color	White
Threaded stud length in glands	sí

Technical data

Free of halogens	Yes
------------------	-----

Regulations

CE marking	Yes
UK marking	Yes
CMim marking	Yes
According to Regulations UNE/EN	UNE-EN 60238
According to REBT	Yes
According to European Directive 2014/35 / EU. Low voltage directive	Yes


Sustainability

According to European Directive 2011/65/UE (RoHS)	Yes (Complies with UNE EN 50581)
---	----------------------------------

Logistics and packaging

Unit EAN code	8423220237254
EAN code container	8423220003590
EAN code packaging	18423220003597
Units Container	40
Units Packaging	320
Pallet Units	11200
Packaging Measurements cm	17,8x19x14,3
Packaging Measures cm	59,5x20x37,5
Unit weight (gr)	34
Container Weight (Kg)	1,43
Packaging Weight (Kg)	12,04
Tariff code	85366110

Sketch



Documentation and downloads



[Declaration of conformity \(0.14MB\)](#)