





# Universal Restraint Clip – CSBURC58 (402200)



- Attaches cable brace to structure
- Meets CEN/TS 17551:2021 requirements for Seismic Sway Bracing



Part Number	CSBURC58
Article Number	402200
Material	Steel
Finish	Electrogalvanized
Brace Size	#12 #18 #36
Hole Size (HS)	17 mm
Thickness (T)	4.27 mm
UL Listed Load	3,430 N
Certifications	UL
Standard Packaging Quantity	25 pc
UPC	78285667906
EAN-13	8711893101256

Mount to the structure using the center hole. Loop cable through the holes in the bent tabs and swage in place.

UL, UR, cUL, cUR, cULus and cURus are registered certification marks of UL LLC.

## WARNING

nVent products shall be installed and used only as indicated in nVent's product instruction sheets and training materials. Instruction sheets are available at [www.erico.com](http://www.erico.com) and from your nVent customer service representative. Improper installation, misuse, misapplication or other failure to completely follow nVent's instructions and warnings may cause product malfunction, property damage, serious bodily injury and death and/or void your warranty.

© 2021 nVent All rights reserved

nVent, nVent CADDY, nVent ERICO, nVent ERIFLEX and nVent LENTON are owned by nVent or its global affiliates.

All other trademarks are the property of their respective owners. nVent reserves the right to change specifications without prior notice.

