



- **Anti-corrosion protection:** zinc-plated coating.
- **Connecting screws:** with head pozi drive Z2 (from PX-13-015 to PX-13-042) or with hexagonal head (from PX-13-048 to PX-13-139).

**PIPE CLAMPS FOR COLD SYSTEMS PX-13**

Clamps with PUR insert, insulation thickness 13 mm														
External pipe diameter D [mm] Cu [d]Fe [d]	Thickness insulation G [mm]	Length insulation B [mm]	Connection			Clamp dimensions		Permissible load [kN]	Mass [kg]	Designation for the order	Part number	Download file DWG		
			Version	Size High h [mm]	M <sub>1</sub>	Connecting screws M <sub>2</sub>	A x g [mm]						L [mm]	
12	13	50	M8/M10	17,0	D	M6	83	20x1,5	2,50	0,07	PX-13-012	0211301200	<a href="#">A</a>	
15	13	50	M8	5,3	A	M6	90	24x2,0	2,50	0,29	PX-13-015	0211301500	<a href="#">A</a>	
18	17,2	13	50	M8	5,3	A	M6	90	24x2,0	2,50	0,30	PX-13-017	0211301700	<a href="#">A</a>
22	21,3	13	50	M8	5,3	A	M6	100	24x2,0	2,50	0,32	PX-13-021	0211302100	<a href="#">A</a>
28	26,9	13	50	M8	5,3	A	M6	101	24x2,0	2,50	0,36	PX-13-026	0211302600	<a href="#">A</a>
35	33,7	13	50	M8	5,3	A	M6	110	24x2,0	2,50	0,46	PX-13-033	0211303300	<a href="#">A</a>
42	42,4	13	50	M8	5,3	A	M6	115	24x2,0	2,50	0,50	PX-13-042	0211304200	<a href="#">A</a>
	48,3	13	50	M10/M12	17,5	B	M6	130	26x2,5	2,50	0,55	PX-13-048	0211304800	<a href="#">A</a>
54	54	13	50	M10/M12	17,5	B	M6	130	26x2,5	2,50	0,58	PX-13-054	0211305400	<a href="#">A</a>
57	57	13	50	M10/M12	17,5	B	M6	136	26x2,5	2,50	0,60	PX-13-057	0211305700	<a href="#">A</a>
	60,3	13	50	M10/M12	17,5	B	M6	149	26x2,5	2,50	0,62	PX-13-060	0211306000	<a href="#">A</a>
64	63,5	13	50	M10/M12	17,5	B	M6	149	26x2,5	2,50	0,64	PX-13-063	0211306300	<a href="#">A</a>
76,1	76,1	13	75	M10/M12	17,5	B	M6	155	26x2,5	2,50	0,72	PX-13-076	0211307600	<a href="#">A</a>
88,9	88,9	13	75	M10/M12	17,5	B	M6	170	26x2,5	2,50	0,82	PX-13-088	0211308800	<a href="#">A</a>
108	108	13	75	M10/M12	17,5	B	M6	194	26x2,5	3,90	1,18	PX-13-108	0211310800	<a href="#">A</a>
	114,3	13	75	M10/M12	17,5	B	M6	194	26x2,5	3,90	1,21	PX-13-114	0211311400	<a href="#">A</a>
133	133	13	100	M10/M12	25,0	C	M8	235	35x3,0	3,90	1,35	PX-13-133	0211313300	<a href="#">A</a>
	139,7	13	100	M10/M12	25,0	C	M8	235	35x3,0	3,90	1,38	PX-13-139	0211313900	<a href="#">A</a>

